

Indy Library

(C++ Builder 6.0, SP4)

- 1) C++ Builder IDE가 C++ Builder
- 2) C++ Builder (C: \ Program Files \ Borland \ Cbuilder6)
IDPAS32.obj ()
- 3) Indy
(dclindy*.bpl, dclindy.*, indy*.lib, id*.pas, id*.hpp, id*.obj, indy60.bpl)
WinNT or Windows \ System32 indy*.bpl
- 4) 2 IDPAS32.obj
- 5) (Help) Indy
(indy.*), (WinHelp)
- 6) Indy . Source
- 7) Source C++ Builder
Fullc5.bat – C++ Builder 5
Fullc6.bat – C++ Builder 6
- 8) Source
C5 - C++ Builder 5
C6 - C++ Builder 6
- 9) C++ Builder
(가 FAQ #1)
- 10) Design Packages
C++ Builder IDE Component – Install Packages... – Add
7 C5 C6
(가 FAQ #2)

Indy Library

kiss@chol.com

11)

Tools – Environment Options – Library – Library Path C5 C6
(, D: \ Indy9 \ C6) (C5 C6)

12) Inlucde

Project – Options – Directories/Conditionals – Include Path C5 C6
(, D: \ Indy9 \ C6), Defalut

[]

<http://www.indyproject.org>

Document V 1.0

2004. 2. 10.


<http://www.parkhome.org>

kiss@chol.com

FAQ

#1. C++ Builder

: indy60.bpl 가 .
 : No C++ Builder .
 C++ Builder indy*.bpl .



#2. Design Packages

: Design Packages 가 Install Packages – Add dclindy60.bpl
 : C++ Builder .
 C++ Builder indy*.bpl .



#3. indy.lib 가 가

: Indy
 : C++ Builder bin default.bpr
 Text indy.lib . (
 project*.bpr)